



SAFETY DATA SHEET

Page 1 of 3

ENVIROLOGICAL LIQUID HAND SOAP Data Sheet No. R3

Revision 1
Revision date 15-May-2009

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name ENVIROLOGICAL LIQUID HAND SOAP
Data Sheet No. R3

Company Cleenol Group Limited
Beaumont Road
Banbury
Oxon
OX16 1RB
United Kingdom
sales@cleenol.co.uk
www.cleenol.co.uk

Telephone 01295 251721

Fax 01295 263053

Emergency telephone number 01295 251721

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Glycerine BP (Glycerol, mist)	1-10%	56-81-5		
Ethylene Glycol Monostearate	0.5-1%	111-60-4		Xi; R36/38
Isopropanol (Propan-2-ol)	0-0.5%	67-63-0	200-661-7	F; R11 Xi; R36 R67
Sodium Chloride	1-10%	7647-14-5	231-598-3	
Alkyl dimethyl betaine.	0.5-1%	66455-29-6	266-368-1	Xi; R38-41
Benzyl alcohol	0-0.5%	100-51-6	202-859-9	Xn; R20/22
Sodium Lauryl Ether Sulphate.	1-10%	68585-34-2		Xi; R38
(S) Butylphenyl Methylpropional	0-0.5%	80-54-6	201-289-8	Xn; R22 Xi; R43

4. FIRST AID MEASURES

Skin contact Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

Print date 15-May-2009

ENVIROLOGICAL LIQUID HAND SOAP

Data Sheet No. R3

Revision 1
Revision date 15-May-2009

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards Burning produces irritating, toxic and obnoxious fumes.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Glycerine BP (Glycerol, mist)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m ³ : 10 WEL 15 min limit mg/m ³ : -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500	WEL 8-hr limit mg/m ³ : 999 WEL 15 min limit mg/m ³ : 1250

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.
Colour Green.
Odour Pleasant.

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.
Conditions to avoid Direct sunlight. Do NOT allow to freeze. Heat.

11. TOXICOLOGICAL INFORMATION

Toxicological information No Significant Hazard.

12. ECOLOGICAL INFORMATION

Further information Do not flush into surface water.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

ENVIROLOGICAL LIQUID HAND SOAP

Data Sheet No. R3

Revision 1
Revision date 15-May-2009

16. OTHER INFORMATION

Text of risk phrases in Section 3.

R11 - Highly flammable.
R20/22 - Harmful by inhalation and if swallowed.
R22 - Harmful if swallowed.
R36 - Irritating to eyes.
R36/38 - Irritating to eyes and skin.
R38 - Irritating to skin.
R41 - Risk of serious damage to eyes.
R43 - May cause sensitisation by skin contact.
R67 - Vapours may cause drowsiness and dizziness.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.